


Integrity Industries, Inc.
P. O. Box 5342

Kingsville
361-595-5561
361-595-5588

TX 78363



Material Safety Data Sheet


Page

| | |
|----------------------------------|--|
| Revised Date | SECTION 1.0 02/11/02 |
| Supercedes | 08/02/00 |
| Trade Name | SECTION 2.0 OXYGEN SCAVENGER |
| Synonyms/Other Designations | OXYGEN SCAVENGER |
| Chemical Formula | Proprietary liquid |
| Hazard(s) | Bisulfites, aqueous solution |
| Boiling Point | SECTION 3.0 212 F |
| Freezing Point | N/A |
| Specific Gravity | 1.30 |
| Vapor Pressure (mm Hg) | 52.0 |
| Vapor Density | 1.0 |
| Solubility in H ₂ O | Complete |
| Appearance | Pale gree/yellow liquid |
| Odor | Sulfur |
| Stability | SECTION 4.0 Stable |
| Incompatibility | May react with strong acids |
| Hazardous Decomposition Products | Sulfur Dioxides |
| Hazardous Polymerizations | Will not occur |
| Flash Point | SECTION 5.0 N/A |
| Extinguishing Media | Water, dry chemical, foam, CO ₂ |
| Special Fire Fighting Procedures | Normal firefighting procedures |
| Unusual Fire Hazards | High temperatures may generate sulfur dioxide/trioxide which forms sulfuric/sulfurous acids with water |
| pH | N/A |
| Inhalation | SECTION 6.0 Move to well ventilated area; if breathing difficulties persist after 15 minutes, seek medical assistance |
| Eye Contact | Wash eye thoroughly for 15 minutes; if irritation persists seek medical assistance |
| Skin Contact | Remove contaminated clothing. Wash exposed area with soap & water |
| Ingestion | Drink water to dilute substance, see physician |

Integrity Industries, Inc.
P. O. Box 5342

Kingsville
361-595-5561
361-595-5588

TX 78363



4066 OXYGEN SCAVENGER

Material Safety Data Sheet

| | |
|---|--|
| Acute | SECTION 7.0 May cause eye and skin irritation; Causes burning of digestive tract, nausea, possible vomiting. |
| Chronic | No data available |
| Accidental Spill Procedures Handling & Storage | SECTION 8.0 Berm and pump into containers for recovery. Absorb residue with inert material and dispose according to local, state, a Normal handling procedures |
| Respiratory Protection | SECTION 9.0 Dust/Mist respirator in misting conditions. |
| Ventilation | Highly recommended |
| Exhaust | Mechanical |
| Protective Gloves | Standard industrial type rubber gloves |
| Eye Protection | Safety Glasses, Goggles |
| Other Protection | Eye Wash/Safety Shower |
| DOT Proper Shipping Name | SECTION. 10.0 Bisulfites, aqueous solutions |
| DOT Hazard Class or Division | 8 |
| DOT Identification Number | UN2693 |
| DOT Packaging Group | III |
| Type Label(s) Required or Exemption Nu | Corrosive For limited Quantity requirements see DOT Regulation 49 CFR |
| DISCLAIMER | SECTION. 11.0 SOME INFORMATION PROVIDED HEREIN WAS DRAWN FROM SOURCES OTHER THAN INTEGRITY INDUSTRIES. |
| DISCLAIMER | THE INFORMATION PROVIDED HEREIN IS BELIEVED BY INTEGRITY INDUSTRIES TO BE CORRECT AND RELIABLE; NO EXPRESSED OR IMPLIED WARRANTY IS PROVIDED HOWEVER. |
| DISCLAIMER | INTEGRITY INDUSTRIES ASSUMES NO RESPONSIBILITY AND DENIES ALL LIABILITY FOR ANY LOSS, DAMAGE, OR EXPENSE CONNECTED WITH CUSTOMERS' METHOD OF HANDLING, STORAGE, USE, AND DISPOSAL OF THIS PRODUCT. |
| DISCLAIMER | THE MSDS INFORMATION PROVIDED HEREIN IS APPLICABLE ONLY TO THIS PRODUCT. |